

# **P**OWDER-PUFF

Patented  
*Powder actuated tools and Accessories*



***All the power without the noise!***  
Occupied Tenant Improvement Tool



**CEAS**

CONSTRUCTION ENGINEERED  
ATTACHMENT SOLUTIONS

*A Division of Tomarco Contractor Specialties*

[ceasattachments.com](http://ceasattachments.com)

**(877) GOO-CEAS**

(877) 466-2327

## Features and Specifications

Silent • High Performance • Best in Safety

# P

## OWDER-PUFF

Powder Actuated Tool & Accessories

**All the DRIVE-ABILITY without the NOISE!**  
Concrete, Masonry, Wood and Steel Applications


**The Industry's 1<sup>st</sup> Patented NOISE SUPPRESSED Power Actuated Tool**



- Patented sealed barrel silences noise
- Ideal for tenant occupied construction
- All the power, less noise in a compact design



**Average Decibal Test**  
Source - Western Acoustic Laboratory  
(Controlled Sound Test)



**NOISE**



(Pat # 7,575,139 B2)

### Kit Includes

- PowderPuff Powder Actuated Tool
- Red Universal Nosepiece (For Drivepins 3/4" to 1-1/2")
- Tool Belt and Holster
- Storage Tool Box with Pull Out Tray
- Safety Glasses
- Flat Head Screwdriver Tool
- Open End Wrench
- Cleaning Brush
- Cleaning Fluid
- Instruction Manual
- Nosepiece/Drivepin Quick Reference Chart

### Specifications

- .27 Caliber
- Maximum Pin Length: 2-1/2"
- Length: 12-5/8"
- Weight: 3.8 lbs.

DESCRIPTION	PART #	BOX QTY	CASE QTY
PowderPuff Kit	HEA-PPKIT	1	2

# The SILENT, Indoor, Construction Tool SOLUTION




### Performance

- Sealed barrel directs ALL OF the load to the fastener
- Reset spacer on the fastener allows piston to travel with the fastener into the substrate
- Consistent fastening reduces fish hooks and spalling
- Solid metal housing is more durable than polyimide or other plastics
- Ergonomic handle absorbs recoil and increases operator comfort



### Best in Safety

- No live load in chamber when inserting a fastener in the barrel
- Load only advances into firing position after tool is depressed against work surface
- Suppressed noise is safer on operators ears



When the fastener is inserted, the reset spacer moves the head of the pin against the piston and into the firing position.

When fired, the piston and fastener travel together to the work surface. The result is a less spalling and more consistent attachments.



### Easy Cleaning

- Simply unscrew the nosepiece and remove the piston.
- Only three pieces - NO small parts to loose
- Wire brush and cleaning solvent included in kit



### Online Licensing - 3 easy steps

- 1 - Online training from the comfort of your home or office (Go to [www.powderpufflicense.com](http://www.powderpufflicense.com))
- 2 - Take the online exam
- 3 - Print the OSHA/ANSI/PATMI required certification on your printer



## High Reach Pole Tools

Overhead Attachment Solutions

**Ceiling Wires, Stiffy Supports, Jack Chain, Ceiling Grid, Ceiling Channel and much more!**

- Saves labor and increases productivity
- Safer, faster and easier then ladders, scaffolding or scissor lifts
- Reduces exposure to close-up dust and noise
- Better leverage reduces back and shoulder pain

### Telescoping Pole Tool Features:

- Pressure sensitive action firing - Simply depress against work surface to fire
- Industrial strength poles and hardware
- Ergonomic comfort grip
- Telescoping two stage 3'-6', 6'-12'
- Telescoping three stage 6'-18', 8'-24'

DESCRIPTION	PART #
2 Stage 3' - 6'	POLPPT36
2 Stage 6' - 12'	POLPPT612
3 Stage 6' - 18'	POLPPT618
3 Stage 8' - 24'	POLPPT824

No Lever  
Handle is Required to  
Activate the Tool

Pressure  
Sensitive Firing

2 or 3 Stage  
Telescoping  
up to 24'

Telescoping Pole



Depress the Pole  
Against the Work Surface  
to Advance the Load and  
Activate the Tool



DESCRIPTION	PART #
Cradle Only	POLBAPP
1-1/2' Lever Section	POLBALEVER
1' Mid Section	POLBAMID1
3' Mid Section	POLBAMID3
5' Mid Section	POLBAMID5
Custom Section	Special Order

### Sectional Pole Tool Features:

- Lever and mid sections work with other CEAS power tool cradle sections which means less poles to inventory
- 3/16" stainless steel push rod with floating center guidance eliminates field linkage adjustments problems or breakage
- 1-1/2' tool holder cradle section
- Couplings are constructed from a Dielectric material for safety
- Easily breaks down to store in gang job box - prevents theft or damage

**Looking for other CEAS Pole Tools?**  
Please refer to the Overhead Attachment Solutions Catalog  
or visit us online at [www.ceasattachments.com](http://www.ceasattachments.com)

### Fixed Length Pole Tool Features:

- Industrial strength poles and hardware
- Ergonomic comfort grip
- Standard or custom lengths available

DESCRIPTION	PART #
4' Fixed Length Pole	POLPP4
6' Fixed Length Pole	POLPP6
8' Fixed Length Pole	POLPP8
10' Fixed Length Pole	POLPP10
12' Fixed Length Pole	POLPP12
Custom Length	Special Order



Nosepiece Accessories


3-in-1

Adjustable Red Nosepiece included in each kit. One Nosepiece works for fasteners 3/4" through 1-1/2"



SAVE TOOL EXPENSES  
Nosepiece accessories lets the same tool do the work of many!

NOSEPIECE	DRIVE LENGTH	PART	#QTY
Yellow	5/8" to 3/4" Pins	PPNP075	1
Orange	1" Pins	PPNP100	1
Purple	1-1/4" to 1-1/2" Pins	PPNP125	1
Red	3/4" to 1-1/2" Pins	PPNPADJ	1
Green	2" to 2-1/2" Pins	PPNP200	1
Blue	1" Pins 1/4" Head Dia.	PPNP2587	1



Replacement Pistons



Description	Part #
Standard 5/16" Piston	PPP1
Piston for 1/4" Headed Fasteners (Blue Nosepiece)	PPP2

Power Loads

Exclusively Designed for the PowderPuff

- Loads work in concrete, masonry, wood and steel applications
- 3 load levels
- 10 loads per strip

\*Only the power loads designed for the PowderPuff will fit into the tool

DESCRIPTION	PART #	BOX QTY	CASE QTY
Gray #1 Light	PPL1	100	1000
Brown #2 Medium	PPL2	100	1000
Green #3 Strong	PPL3	100	1000



CAUTION: Always make test fastening with lightest load!



Drive Pins & Assemblies

Actual Fastener Lengths

In order to simplify fastener selections, all PowderPuff fastener lengths referenced are the shank dimensions

Shank Length  
= Fastener Length



Drivepin

- 0.145 Dia. Drivepin
- Designed for use in general concrete applications
- ICC Approved



Drivepin With Washer

- 0.145 Dia. Drivepin with Washer
- For attaching light gauge metal to concrete and steel (ie: Junction boxes or HVAC duct straps)
- ICC Approved



One Hole Conduit Strap with Drivepin

- 1" Shank Length x 0.145" Dia. Drivepin
- Used to attach conduit or armored cable to concrete
- Pre-assembled to 16 ga Strap
- ICC Approved Fasteners



Cable Tie Clip Drivepin

- 7/8" Shank Length x 0.102 Dia.
- Intended as an attachment point for Zip Tie and Tie Wire to concrete
- ICC Approved



Dimple Clip Drivepin

- 1-1/4" Shank Length x 0.145 Dia.
- Designed for suspended ceilings and other overhead applications into concrete
- Assemblies available pre-tied to ceiling wire
- ICC Approved



Dimple Clip Timberpin

- 2-1/2" Ring Shank Fastener
- Designed for suspended ceilings and other overhead applications into **Wood**
- Assemblies available pre-tied to ceiling wire



Knurled Steel Drivepin

- 5/8" Shank Length x 0.145 Dia.
- Designed for use in general steel applications
- ICC Approved

LENGTH	PART #	BOX QTY	CASE QTY
1"	PM100	100	1000
1-1/4"	PM125	100	1000
1-1/2"	PM150	100	1000
2"	PM200	100	1000
2-1/2"	PM250	100	1000

LENGTH	PART #	BOX QTY	CASE QTY
1"	PM100W	100	1000
1-1/4"	PM125W	100	1000
1-1/2"	PM150W	100	1000
2"	PM200W	100	1000
2-1/2"	PM250W	100	1000

DESCRIPTION	LG	PART #	BOX QTY	CASE QTY
3/8" EMT/MC	1"	PCS037M100	50	500
1/2" EMT/MC	1"	PCS050M100	50	500
3/4" EMT/MC	1"	PCS075M100	25	250
1" EMT/MC	1"	PCS0100M100	25	250

LENGTH	PART #	BOX QTY	CASE QTY
7/8"	PCTL087	100	1000

LENGTH	PART #	BOX QTY	CASE QTY
1-1/4"	PDCM125	100	1000

LENGTH	PART #	BOX QTY	CASE QTY
2-1/2"	PDTP250	500	500

LENGTH	PART #	BOX QTY	CASE QTY
5/8"	PM062	100	1000

*Shooting, drilling and screwing...*

**CORPORATE HEADQUARTERS  
AND MANUFACTURING**  
14848 Northam St.  
La Mirada, CA 90638  
877-GOO-CEAS (877-466-2327)

**BRANCH OFFICES**  
**SAN DIEGO, CA**  
6490 Marindustry Dr. Suite C  
San Diego, CA 92121  
858-547-0700 ph

**EAST COAST HEADQUARTERS**  
1020 Crews Road, Suite Q  
Matthews, NC 28105  
704-841-4080 ph

**SAN FRANCISCO BAY AREA, CA**  
42550 Albrae Street  
Fremont, CA 94538  
510-657-1111 ph

**SACRAMENTO, CA**  
8169 Alpine Ave., Suite C & D  
Sacramento, CA 95826  
916-732-2424 ph

**ARIZONA**  
4215 E. Broadway Rd., Suite 105  
Phoenix, AZ 85040  
602-470-0505 ph

**OREGON**  
14325 N.E Airport Way, Suite 113  
Portland, OR 97230  
503-252-4423 ph

**WASHINGTON**  
5113 Pacific Highway, Unit 3  
Fife, WA 98424  
253-926-2250 ph

**NEVADA**  
4125 Wagon Trail Road  
Las Vegas, NV 89118  
702-364-2606 ph

**NEW YORK**  
3816 Skillman Avenue  
Long Island City, NY 11101  
(516) 462-3902 ph

**UTAH**  
3739 W 2270 S Suite E  
West Valley City, UT 84119  
(801) 495-7264 ph

**PUERTO RICO**  
701 Ponce de León Ave, PMB 157  
San Juan, PR 00907  
(787) 461-1275 ph

**P** *Patented*  
**OWDER-PUFF**  
**Powder Actuated Tool & Accessories**



***The Industry's First, Patented Noise  
Suppressed Powder Actuated Tool.***

**CEAS**  
**CONSTRUCTION ENGINEERED  
ATTACHMENT SOLUTIONS**

[ceasattachments.com](http://ceasattachments.com)  
**(877) GOO-CEAS**  
(877) 466-2327